

VINK



FABRIC FRAMES
FROM STOCK
&
CUSTOM MADE



SEG fabric frames

SILICONE EDGE GRAPHIC FRAMES
FOR PRINTED FABRIC.





T-Flex® Fabric frames Characteristics

Sign-System:	T-Flex® frameless fabric frames
Feature:	Profiles & accessories for silicone edge graphics On a wall, freestanding or hanging
Application:	Changeable, fabric with stitched on silicone keder.
Use:	For indoor illuminated or non-illuminated
Light source:	Various LED options
Designed for:	Single and double sided, cube and door applications
Profile:	6100 mm, EN AW 6060 T6, mill & anodized
Parts:	Feet, corner connectors, round corners, supports, Support profile and quick connectors.
Customization:	Easy-to-assemble DIY kit on request





17 T-Flex® straight Single sided





- 1 **131002 (131004* 131003**)**
T-Flex® 17/1 straight mill
- 2 **131078**
Cornerconnector steel 17, 35 & 60 (H+2i)
- 3 **137152**
Straight connector 100 mm (H+4i)

17 T-Flex® Single sided



- 1 **131005 (131007* 131006** 131080***)**
T-Flex® 17/1 mill
- 2 **137158**
Cornerconnector M Steel hexagon (H+2S)
- 3 **137154**
Cornerconnector L steel hexagon (H+4i)

32/1 T-Flex® Single sided



- 1 **131057 (131058*)**
T-Flex® 32/1 LP mill
- 2 **137158**
Cornerconnector M Steel hexagon (H+2S)
- 3 **137154**
Cornerconnector L steel hexagon (H+4i)

See page 14-18 for parts and accessories



Non-illuminated single + double sided

23/1 T-Flex®

Single sided

1

131010 (131012*)

T-Flex® 23/1 mill

2

137158

Cornerconnector M Steel hexagon (H+2S)

3

137154

Cornerconnector L steel hexagon (H+4i)

4

137620

Corner connector 60x60x5.0 11mm mill

SpeeTex® 25/1

Single sided

1

131427

Speetex® 25/1 brushed anod.

2

131420

SpeeTex® 25/1 round corner brushed anod

30/1 T-Flex®

Single sided

1

131310 (131311*)

T-Flex® 30/1 Basic mill

3

137158

Cornerconnector M Steel hexagon (H+2S)

2

131314 (131315*)

T-Flex® 30/1 Basic closed mill

4

137154



Cornerconnector L steel hexagon (H+4i)

5

137620


Corner connector 60x60x5.0 11mm mill

35/1 T-Flex® Single sided




- 1 **131045 (131047* 131046**)**
T-Flex® 35/1 LED-frame mill
- 2 **137158**
Cornerconnector M Steel hexagon (H+2S)
- 3 **137154**
Cornerconnector L steel hexagon (H+4i)
- 4 **131078**
Cornerconnector steel 17, 35 & 60 (H+2i)
- 5 **3MTape**

46/2 T-Flex® basic Double sided




- 1 **131114 (131116*)**
T-Flex® 46/2 Basic mill
- 2 **137158**
Cornerconnector M Steel hexagon (H+2S)
- 3 **137154**
Cornerconnector L steel hexagon (H+4i)
- 4 **137620**
Corner connector 60x60x5.0 11mm mill





- 5 **131115 (131117*)**
T-Flex® 46/2 Basic closed mill
- 2 **137158**
Cornerconnector M Steel hexagon (H+2S)
- 3 **137154**
Cornerconnector L steel hexagon (H+4i)
- 4 **137620**
Corner connector 60x60x5.0 11mm mill

46/2 T-Flex® Double sided




- 1 **131014 (131016* 131015**)**
T-Flex® 46/2 mill
- 2 **137158**
Cornerconnector M Steel hexagon (H+2S)
- 3 **137154**
Cornerconnector L steel hexagon (H+4i)
- 4 **137620**
Corner connector 60x60x5.0 11mm mill

46/2 T-Flex® wals Double sided



- 1 **131094 (131095)**
T-Flex® 46/2 BF mill
- 2 **137620**
Corner connector 60x60x5.0 11mm mill

SpeeTex® 50/2 Double sided



- 1 **131452 (131450*)6,1 mtr**
SpeeTex® 50/2 brushed anod.
- 2 **131450**
SpeeTex® 50/2 round corner brushed anod

Single / double sided



The Comhan machine park includes a CNC roller bending machine for the fabrication of rounded shape frames.


Illuminated or non-illuminated frames.
E-mail or phone us for capabilities

Bending frames in T-Flex® 17, 23, 46, 85, 100, and 150 mm.




Single-sided illuminated frames

50/1 T-Flex® Single sided




- 1 **131054 (131055*)**
T-Flex® 50/1 LightBox DT mill
 - 2 **130708**
Cornerconnector FF (H+2B+2M)
 - 3 **ACM Back-panel Matt white**
- 131059**
T-Flex® 50/55 Backpanel support 40 mm

55/1 T-Flex® Single sided




- 1 **131050 (131052*)**
T-Flex® 55/1 LightBox mill
 - 2 **130708**
Cornerconnector FF (H+2B+2M)
 - 3 **ACM Back-panel Matt white**
- 131059**
T-Flex® 50/55 Backpanel support 40 mm

85/1 T-Flex® Single sided





- 1 **131085 (131087*)**
T-Flex® 85/1 LightBox mill
 - 2 **130708**
Cornerconnector FF (H+2B+2M)
 - 3 **ACM Back-panel Matt white**
- 131089**
T-Flex® 50/55 Backpanel support 40 mm

100/1 T-Flex® Single sided



- 1 **131104 (131106*) 6,1 mtr**
T-Flex® 100/1 LightBox mill
 - 2 **130708**
Cornerconnector FF (H+2B+2M)
 - 3 **ACM Back-panel Matt white**
- 131088**
T-Flex® Backpanel support 40 mm

150/1 T-Flex® Single sided





- 1 **131150 (131152*)**
T-Flex® 150/1 LightBox mill
 - 2 **130708**
Cornerconnector FF (H+2B+2M)
 - 3 **ACM Back-panel Matt white**
- 130709**
Straight connector FF (K+2BMO)
- 131089**
T-Flex® 85/150 Backpanel support 40mm

Window system

T-FLEX® 85/2 WG



Double sided




- 1 **131082 (131083*)**
T-Flex® 85 WG mill
- 2 **130708**
Cornerconnector FF (H+2B+2M)
- 3 **130709**
Straight connector FF (K+2BMO)

T-FLEX® 140/2 LVWG

Double sided




- 1 **131130 (131132*)**
T-Flex® 140 WG mill
- 2 **130708**
Cornerconnector FF (H+2B+2M)
- 3 **130709**
Straight connector FF (K+2BMO)



Double-sided illuminated frames





60/2 T-Flex® Double sided



- 1 **131075 (131077*)**
T-Flex® 60/2 EdgeLight mill
- 2 **131078**
Cornerconnector steel 17, 35 & 60 (H+2i)
- 3 **137422**
LED container 10x10x10x1.0 anod
L: 3000


96/2 T-Flex® Double sided



- 1 **131090 (131092*)**
T-Flex® 96/2 LightBox mill
- 2 **130708**
Cornerconnector FF (H+2B+2M)
- 3 **130709**
Straight connector FF (K+2BMO)

SpeeTex® 120/2




Double sided



- 1 **131120 (131122*)**
SpeeTex® 120/2 mill
- 2 **131165**
Click-Corner connector external
- 3 **131124**
SpeeTex® cornerconnector 100 hexagon (4)
- 4 **131126**
SpeeTex® Cornerconnector 78x78 for 120 (2H)
- 5 **137154**
Cornerconnector L steel hexagon (H+4i)

SpeeTex® 150/2

Double sided




- 1 **131474 (131476*)**
Speetex® 150/2 mill closed
- 2 **131479**
Speetex®150 Cornerconnector
- 3 **131470 (131472*)**
Speetex® 150/2 mill
- 4 **131478**
Cornerconnector 78x78 for Speetex® 150(2H)
- 5 **131164**
Support-cornerconnector Steel 150/160 (2)

NEW

SpeeTex® 160/2



Double sided



- 1 **131160 (131162*)**
SpeeTex® 160/2 mill
- 2 **131165**
Click-Corner connector external
- 3 **131164** Support-cornerconnector
Steel 150/160 (2)
- 4 **131166**
SpeeTex® 160 Cornerpiece 78x78 (2H)
- 5 **131124**
SpeeTex® cornerconnector
100 hexagon (4)

170/2 T-Flex®

Double sided





- 1 **131170 (131172*)**
T-Flex® 170/2 LightBox mill
- 2 **130708**
Cornerconnector FF (H+2B+2M)
- 3 **130709**
Straight connector FF (K+2BMO)



Profiles available in : mill / anodized / powder-coated (on request)

T-Flex® Cube




- 1 **131185 (131187*)**
T-Flex® Cube Frame mill
- 2 **131180**
T-Flex® Cube Cornerpiece (8)



131180
T-Flex® Cube Eckverbinder (8)

SpeeTex® XXL Cube




- 1 **131176 (131177*)**
SpeeTex® Cube XXL Frameprofile mill
- 2 **131175**
SpeeTex® Cube XXL Cornerpiece
- 3 **131178**
Straight connector steel (2xM8)



131175
SpeeTex® Cube XXL Cornerpiece



131179 SpeeTex® Cube XXL
INOX hangingpiece




131174 SpeeTex® Connector
for reinforcement (3b+m)



131128 Cube XXL Foot
M16 x 150 mm (adjustable)

T-Flex® 70 outdoor

Single sided



- 1 **131532**
T-Flex® 70 Outdoor Basicprofile anod.
- 2 **131535**
T-Flex® Outdoor coverprofile anod.
- 3 **131538**
T-Flex® 70 Outdoor stainless corner connector
- 4 **131541**
T-Flex® 70 Outdoor coverspring
- 5 **131539**
T-Flex® 70 Outdoor Hanging bracket Stainless
- 6 **131542**
T-Flex® 70 cover - blind rivet nut.

Cube




GOBA

GOBA

GOBA

Stamping Parts Insulating Parts Foils


Stanz




- 1 **131242**
T-Door® textile door profile anod
- 2 **131222**
T-Door® underrailprofile anod
- 3 **131232**
T-Door® upperrailprofile anod

- 4 **131210**
T-Door® rolling wheelset (1 x down & 1 x top)
- 5 **131265**
T-Door® steel cornerconnector
- 6 **131252**
T-Door® ACM door profile anod
- 7 **ACM back-panel 3mm**

Textile door



ACM door



131222 T-Door®
underrailprofile anod



131232 T-Door®
upperrailprofile anod



131265 T-Door®
steel cornerconnector



131210 T-Door® rolling wheelset
(1 x down & 1 x top)



131018
Reinforcement profile anod



131027 Steel connector
heavy duty [131018]

T-Door Fabric and ACM panel sliding door system





Parts and accessories for Our tension fabric frames

Connectors and supports + straight

ORDER
A
SAMPLE
KIT!



131078 Cornerconnector
steel 17, 35 & 60 (H+2i)



137158 Cornerconnector M
Steel hexagon (H+2S)



137154 Cornerconnector L
steel hexagon (H+4i)



137620 Cornerconnector
60x60x5.0 11mm mill



131124 SpeeTex® corner-
connector 100 hexagon (4)



130708 Cornerconnector FF
(H+2B+2M)



131165 Click-Corner
connector external



131265 T-Door® steel
cornerconnector



131538 T-Flex® 70 Outdoor
stainless corner connector



131126 SpeeTex® Corner-
connector 78x78 for 120 (2H)



131166 SpeeTex® 160
Cornerpiece 78x78 (2H)



Only in combination with 137154

131025 T-Flex® ABS
corner grey (H+2I)



Only in combination with 137154

131026 T-Flex® ABS
corner black (H+2I)



131168 Straight support-
connector steel (2)


Back panel supports




Assembled corners



Straight connectors:





Supports



131018 Reinforcement profile anod



131022 Connector straight [131018]



131027 Steel connector heavy duty [131018]



131023 Connector 45 degrees L+R [131018]



131028 45 dg. reinforcement 750 anod



130889 Spacer - reinforcement 40x36 RAL9016



131098 T-Flex® support bracket 25 mm



131174 SpeedTex® Connector for reinforcement (3b+m)

Feet supports



131338 Foot Wall-Basic Aluminium anodised L: 223mm



131118 Foot B Steel 400 x 60 RAL9006



131340 Foot S-Basic Aluminium anodised L: 400mm



131339 Foot M-Basic Aluminium anodised L: 600mm



131037 Foot L Aluminium anodised. L: 1000mm



131034 Foot G Aluminium anodised (+2B) L: 450mm



131139 SpeedTex® foot 500 120/160 anodized L: 500mm



131140 SpeedTex® foot (wall) 120/160 anodized L: 330mm



131145 Mounting plate for foot [131085/131090]

Hanging Solutions

Aluminum, steel & Stainless cable

Solutions for quick installation of sign systems



131319 T-Flex® 23/30
Hanging bracket basic anod.



131539 T-Flex® 70 Outdoor
Hanging bracket Stainless



131113 T-Flex® 46
Hanging bracket basic anod.



131111 T-Flex® 46
Wall bracket for anod.



131173 Lifting bold M8
INOX + block



130655 Hanging set steel
cable hook 3 mtr T2 INOX



131098 T-Flex® 85/150
Backpanel support 40mm



138730 Suspensionclip Eco
adjustable (34,5 x 10 mm side exit)



138734 Suspensionbus
cylindrical 28,5x12 mm side exit



138732 Suspensionbus
conical (40x18 mm side exit)



138751 Adjustable Loop/
Cablefixation Black 3.0mm



138752 Adjustable Loop/
Cablefixation Silver 1.5mm



138753 Adjustable Loop/
Cablefixation Black (1.5mm)



138750 Adjustable Loop/
Cablefixation 3.0mm Silver



138762 Ceilinggripper
with eyelet



138761 Ceilinggripper with
adjust. cablebus 1.5mm



138706 Steelcable with ball
4,5 x 1,5 mm L 1500



138646
Lifting eye M6 INOX



138649
INOX Lifting eye nut M8



131079 Adjustable wall
mounting hook T-17



Magnets



139345 Heavy Duty Magnet
32 x 7,0 mm



138710 Heavy Duty Magnet
25 x 8,5 with counterring



138760 Magnetic Anchor
32mm incl gripper

Tools



131041 Hexagon key (M5)
2.5mm ISO 2936



131043 Hexagon key (M6)
3.0mm ISO 2936



131024 Torx key for connector
[131022/23]



131029 Hexagon key (M4)
2.0 mm ISO 2936



131017 Rubberroller 131021

Silicone edge



131464 Edging 12x3
PVC White (roll = 200 m)



131466 Edging 14x3
PVC White (roll = 200 m)



131460 Edging 12x3 PVC
transparent (roll = 200 m)



131462 Edging 14x3 PVC
transparent (roll = 200 m)



131020 Edging 14x3 Silicone
transparent (roll = 100mtrs)



131021
Roll-in rubber / grey






ALWAYS
AVAILABLE
FROM
STOCK!

Trade show booth extrusions

- 1 **131018**
Reinforcement profile anod
- 2 **131035**
T-Flex® Connecting profile anod.
- 3 **131022**
Connector straight [131018]
- 4 **131027**
Steel connector heavy duty [131018]
- 5 **131023**
Connector 45 degrees L+R [131018]
- 6 **131024**
Torx key for connector [131022/23]



Magnet / shelving



- 1 **139342**
Magnet shelf carrier anod
- 2 **139345**
Heavy Duty Magnet 32 x 7,0 mm
- 3 **139344**
Endcap magnet shelf carrier anod



Sample kits

- 1 **132251**
Samplebox T-Flex® Fabric Frames
- 2 **132252**
Samplebox T-Flex® LED Frames
- 3 **132253**
Samplebox SpeeTex® Fabric Frames

NEW!
ORDER NOW
YOUR
SAMPLE KIT

Comhan SEG-fabric frames | Eye-catching, Flexible, Versatile.

Comhan's T-Flex® SEG-fabric frames provide the perfect means to indoor advertising. Typical areas of application are:

- Shop Windows
- Airports
- Restaurants/Bars
- Museums
- Showrooms
- Trade shows
- Commercial buildings
- Events
- Sliding doors

The T-Flex® series is delivered to the Visual communication industry through sign-makers and companies active in digital printing and advertising.

T-FLEX
SPECIALS

Call Us for more information or make an appointment on +36 14 24 03 80

T-Flex® textile-frame "Innovation in Visual communication!"

Comhan delivers the T-Flex textile frame, a versatile aluminum frame illuminated and non-illuminated for printed fabric and banners. Quick, easy and flexible. For indoor applications available in single- and double-sided frames. The T-Flex series includes more than 25 models, ideal for situations where a fabric will be changed regularly.



Fabric frameless Cube



Bend frame



T-Door®

Order your free sign catalog through our website



Vink Plast Kft • Háros u. 11 • H-1222 Budapest, • Hungary
T: +36 1 424 0380 • F: +36 1 424 0381 • E: vink@vinkplast.hu
www.vink.hu